



DEPARTMENT OF RESTORATIVE DENTISTRY CONSENT FORM

Document number	SHB.FR.
Release date	05.04.2024
Revision Number	00
Revision date	--
Page Number	1/2

I have been informed about the procedures and potential problems that may occur during restorative dental treatment as follows:

- Before the treatments, adverse effects such as emphysema (swelling) and hematoma (accumulation of blood in tissues) may occur due to anesthesia application.
- During treatment, unwanted cuts may occur in soft tissues and teeth due to sudden movements or closing of the mouth.
- Perforation (exposure of the pulp) may occur in the tooth depending on the depth of decay, and root canal treatment may be required as a result. In some cases, severe pain may occur after filling due to the depth of decay, necessitating root canal treatment. Root canal treatment also carries risks. It may fail, instruments may break in the canal, and tooth extraction may be required.
- Sensitivity (tingling in response to hot or cold) may occur for a while after filling treatments.
- It may not always be possible to diagnose the condition of natural teeth without removing crowns or bridges because the underside of crowns and bridges is not visible on X-rays. In such cases, crowns or bridges need to be removed. Removed bridges may be damaged, unable to be reattached, and may need to be rebuilt.
- Depending on the size of the filling and the remaining healthy tooth structure, fractures may occur in the tooth after filling treatment.
- Cracks and fractures may occur in fillings placed on anterior teeth (front teeth) during aesthetic procedures such as closing gaps (diastema) due to biting forces.
- Since each patient's tooth color is different and aesthetic fillings used do not necessarily match the exact characteristics of natural tooth tissue, the desired tooth color may sometimes not be fully achieved, resulting in color differences.
- The satisfactory tooth color immediately after aesthetic fillings may change over time, requiring the filling to be renewed or re-polished after a certain period.
- The chemical material used in whitening procedures may cause damage to soft tissues. Sensitivity may occur in teeth due to whitening treatment.
- Desired whiteness may not be achieved in teeth with discoloration after root canal treatment in a single session; multiple sessions may be required for whitening.
- Fractures and dislodgement after bonding may occur in inlay-onlay (ceramic filling) and crowns.
- Additional fees may be required for some special procedures (filling removal, aesthetic procedures, whitening, crowns, and sub-crown fillings, etc.).



DEPARTMENT OF RESTORATIVE DENTISTRY CONSENT FORM

Document number	SHB.FR.
Release date	05.04.2024
Revision Number	00
Revision date	--
Page Number	2/2

- There is no option to choose the dentist; resident dentists may also perform your treatment.
- Some treatments may not be completed in a single session, and you may need to attend additional sessions.

I acknowledge and accept the treatment to be carried out by the dentists and resident dentists working in the Restorative Dentistry Department of Erciyes University Faculty of Dentistry, maintaining my full consciousness. I have been presented with options for my treatment, and I consent to all of them. I have provided all information regarding my general health, and I have been informed about potential issues arising from this condition. I grant permission for the information obtained during my examination and treatment to be used for research purposes with other scientific institutions or for educational purposes, provided that it complies with patient rights and ethical principles.

I HAVE READ THIS FORM AND UNDERSTOOD ALL THE TERMS AND WORDS IN IT.

PATIENT'S NAME:

PARENT/GUARDIAN'S NAME:

SIGNATURE:

SIGNATURE:

DATE: